

Lazarus Group Uses the DLL Side-Loading Technique (mi.dll)

ASEC asec.ahnlab.com/en/39828/

October 12, 2022



While tracking the Lazarus attack group, the ASEC analysis team discovered that the attackers were using the DLL Side-Loading attack technique (T1574.002) by abusing legitimate applications in the initial compromise stage to achieve the next stage of their attack process.

<https://attack.mitre.org/techniques/T1574/002/>

The DLL Side-Loading attack technique saves a legitimate application and a malicious DLL in the same folder path to enable the malicious DLL to also be executed when the application is run. In other words, it is a malware execution technique that allows the malicious DLL to be executed first by changing its name to the filename of the normal DLL located in a different path that the legitimate program refers to.

The list of legitimate processes abused by the Lazarus group is as follows. wsmprovhost.exe and dfrgui.exe are all normal MS files.

- wsmprovhost.exe (Host process for WinRM plug-ins)
- dfrgui.exe (Microsoft Drive Optimizer)

According to AhnLab’s ASD (AhnLab Smart Defense) infrastructure, the attackers used an old version of the Initech process (inifacrosswebexsvc.exe) through which they distributed the backdoor malware (scskaplink.dll) used for the initial compromise.

rundll32.exe	scskaplink.dll	N/A	Creates executable file	Creates executable file	Target
	[object Object]				wsmprovhost.exe
inifacrosswebexsvc.exe	N/A	N/A	Creates executable file	Creates executable file	Target
					scskaplink.dll

Figure 1. Initial compromise stage log

Afterward, it is likely that the executed backdoor malware created wsmprovhost.exe and executed an additional DLL Side-Loading payload. The grounds for the suspected use of the DLL Side-Loading technique lie in the fact that an additional malicious DLL named “mi.dll” was found in the folder path where wsmprovhost.exe was created in the infected PCs. The following is the file path information of mi.dll that was in the same path as wsmprovhost.exe.

- C:\ProgramData\Microsoft\IdentityCRL\mi.dll
- C:\ProgramData\Microsoft\IdentityCRL\wsmprovhost.exe
- C:\ProgramData\USOShared\mi.dll
- C:\ProgramData\USOShared\wsmprovhost.exe
- C:\ProgramData\midassoft\mi.dll
- C:\ProgramData\midassoft\wsmprovhost.exe

time	path	rule num
Oct 4, 2022 @ 16:14:33.670	C:\ProgramData\Microsoft\IdentityCRL\mi.dll	5226517
Oct 4, 2022 @ 15:51:29.444	C:\ProgramData\USOShared\mi.dll	5226517
Sep 13, 2022 @ 15:51:25.503	C:\ProgramData\midassoft\mi.dll	5226517

Figure 2. mi.dll

file path info (ASD infra)

mi.dll is a DLL referenced by wsmprovhost.exe (See Figure 3). Thus, when wsmprovhost.exe is run, mi.dll is loaded in the corresponding process memory.




Figure 3. The DLL referenced by wsmprovhost.exe (mi.dll)

mi.dll, a normal MS file, exists in the path “c:\windows\system32”, but the mi.dll used in this attack was found not in the Windows system path but in another path alongside wsmprovhost.exe. The attackers included the malware in the BugTrap project source code, an open source code on github, to distribute it under the name “mi.dll”.




Figure 4. Module information

of mi.dll (abusing open source BugTrap)

The malicious mi.dll that is executed in the process memory of wsmprovhost.exe includes an additional binary encrypted internally with the AES-128 algorithm, and the moment it is executed, it uses the decryption key transmitted via an argument to decrypt the binary before running an additional malware in the memory.

It has also been identified that the Lazarus group not only executed malware through wsmprovhost.exe but also other normal Windows programs such as dfrgui.exe. Using a DLL that is run in a normal process memory area to perform malicious acts is deemed to be an attempt to bypass the behavior detection of security software.

Recently, the Lazarus group has been using various attack methods, using not only rootkit to disable security software but also performing malicious acts using normal application software as shown in this report to achieve their attack goals. AhnLab is closely watching and responding to this group’s attack methods and also detecting the current type of attack using the following aliases.

[IOC]

[Filename, MD5, Detection Name)

- SCSKAppLink.dll (0cc73994988e8dce2a2eeab7bd410fad)
Trojan/Win.Lazardoor.C5266363 (2022.09.30.03)
- mi.dll (54b0454163b25a38368e518e1687de5b) – Trojan/Win.LazarLoader.C5226517
(2022.08.22.02)
- dfgui.exe (9caebeda61018e86a29c291225f0319f) – Normal MS file
- wsmprovhost.exe (ff46decb93c6d676a37e87de57bae196) – Normal MS file

[Behavior Detection]

- InitialAccess/MDP.Event.M4242 (2022.09.21.00)

Subscribe to AhnLab's next-generation threat intelligence platform 'AhnLab TIP' to check related IOC and detailed analysis information.

Categories:[Malware Information](#)

Tagged as:[Lazarus](#)